



1. Approving Civil Aviation Authority/Country:  
**FAA/United States**

2. **AUTHORIZED RELEASE CERTIFICATE**  
**FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG**

3. Form Tracking Number:  
20180004315112Y15  
331242541

4. Organization Name and Address:  
Honeywell International Inc  
8840 Evergreen Blvd.  
COON RAPIDS MN 55433-6040

Repair Station  
KE2R949K

5. Work Order/Contract/Invoice Number:  
8152751  
331228082  
Page 1 of 1

6. Item:	7. Description:	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status / Work:
001	AIR DATA MODULE - 777	4071400-904	1	97030656	TESTED

**12. Remarks:**  
THE SERVICE SPECIFIED HAS BEEN ACCOMPLISHED IN ACCORDANCE WITH:  
CMM 34-26-81 Rev 12, JUN/11/2015

"TEST IN COMPLIANCE WITH AW/PS PRODUCTION CRITICAL REQUIREMENTS"

SEE ATTACHED DOCUMENTS AS APPLICABLE FOR WORK PERFORMED  
CERTIFIES THAT THE WORK SPECIFIED IN BLOCK 11/12 WAS CARRIED OUT IN ACCORDANCE WITH EASA PART 145 AND IN RESPECT TO THAT WORK THE COMPONENT IS CONSIDERED READY FOR RELEASE  
TO SERVICE UNDER EASA PART 145 APPROVAL NO. EASA 145-4538

13a. Certifies the items identified above were manufactured in conformity to:  
 Approved design data and are in a condition for safe operation.  
 Non-approved design data specified in Block 12.

13b. Authorized Signature:  
 13c. Approval/Authorization No.:

13d. Name (Typed or Printed):  
 13e. Date(dd/mmm/yyyy):

14a.  14 CFR 43.9 Return to Service  Other regulation specified in Block 12  
 Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.

14b. Authorized Signature:  
*hanhanguyen*

14c. Approval/Certificate No.:  
**KE2R949K**

14d. Name (Typed or Printed):  
**Thanh Ha Nguyen**

14e. Date(dd/mmm/yyyy):  
**13/FEB/2018**

**User / Installer Responsibilities**  
 It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article. Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1. Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

NSN : 0052 - 00 - 012 - 9005  
 FAA FORM 8130 - 3 (02-14)

Honeywell Aerospace Training

1. 国家 Country		2. 中国民用航空总局 CAAC		<input type="checkbox"/> 符合性 Conformity <input checked="" type="checkbox"/> 适航性 Airworthiness		3. 证书编号 Certificate Ref. No.	
中国 China		批准放行证书/适航批准标签 <b>AUTHORIZED RELEASE CERTIFICATE/AIRWORTHINESS APPROVAL TAG</b>				20180004307136Y05 331242541	
4. 单位 Organization				5. 工作单/合同单/货单 Work Order/Contract/Invoice			
Honeywell International Inc 8840 Evergreen Blvd. COON RAPIDS MN 55433-6040				8152751 331228082 Page 1 of 1			
6. 序号 Item	7. 内容 Description	8. 件号 Part No.	9. 适用性 Eligibility	10. 数量 Qty	11. 系列号/批号 Serial/Batch No.	12. 产品状态 Status/Work	
001	AIR DATA MODULE - 777	4071400-904	NOT KNOWN	1	97030656	INSPECTED / TESTED	
13 备注 Remarks							
THE SERVICE SPECIFIED HAS BEEN ACCOMPLISHED IN ACCORDANCE WITH: CMM 34-26-81 Rev 12, JUN/11/2015 "TEST IN COMPLIANCE WITH AW/PS PRODUCTION CRITICAL REQUIREMENTS"							
SEE ATTACHED DOCUMENTS AS APPLICABLE FOR WORK PERFORMED							
14. 新产品 New Parts				15. 使用过的产品 Used Parts			
<p>兹声明上述产品除第13项的其它规定以外，已按照上述国家适航条例进行制造/检查，并且该产品(出口产品)符合经批准的型号设计资料和进口国提出的专用要求。</p> <p><del>Certifies that the part(s) identified above except as otherwise specified in block 13 was (were) manufactured / inspected in accordance with the airworthiness regulations of the stated country and / or in the case of parts to be exported with the approved design data and with the notified special requirements of the importing country.</del></p>				<p>兹声明上述产品除第13项的其它规定以外，已按照上述国家适航条例和进口国通知的特殊要求进行了工作，该产品处于安全可用状态可以批准放行使用。</p> <p>Certifies that the work specified above except as specified in block 13 was carried out in accordance with the airworthiness regulations of the stated country and the notified special requirements of the importing country and in respect to that work, the part(s) is(are) in condition for safe operation and considered ready for release to service. (over)</p>			
16. 批准人签名 Signature		18. 批准日期 Date		19. 中国民航总局授权 Issued by or on behalf of the CAAC			
		FEB/12/2018		F00100463			
17. 批准人姓名 (打印的) Name (Printed)		Quynh-Thu Nguyen					

AAC - 038(12/94)

\* 参阅产品目录详细查找适用性

Cross - check eligibility for more details with parts catalogue



批准放行证书/适航批准标签  
AUTHORIZED RELEASE CERTIFICATE/AIRWORTHINESS APPROVAL TAG  
使用者/安装者职责  
USER/INSTALLER RESPONSIBILITIES

- (1) 必须明确:本文件并不批准零件/组件/部件可以装到有关产品上。
- (2) 当使用者/安装者使用的是所在国适航当局的条例,而不是本表第1项中所指国家适航当局的条例时,使用者/安装者必须保证所在国的适航当局能接受所指国家适航当局批准出口的零件/组件/部件。
- (3) 表中第14项、第15项的陈述,并不说明本表是安装批准。在所有情况下,航空器使用前,航空器使用者/安装者应把按本国适航条例颁发的安装批准放入维修记录中。

- (1) It is important to understand that the existence of this document alone does not automatically constitute authority to install the part/component/assembly.
- (2) Where the user/installer works in accordance with the national regulations of an Airworthiness Authority different than the Airworthiness Authority of the country specified in block 1, it is essential that the user/installer ensure that his/her Airworthiness Authority accepts parts/components/assemblies from the Airworthiness Authority of the country specified in block 1.
- (3) Statements 14 and 15 do not constitute installation certification. In all cases the aircraft maintenance record must contain an installation certification issued in accordance with the national regulation by the user/installer before the aircraft may be flown.

## SERVICE REPORT

HAT - Phoenix

<b>SR NUMBER:</b> 5011949422 331242541		<b>FAA:</b> KE2R949K	<b>EASA:</b> 145.4538
<b>PO:</b> 8152751	<b>CUSTOMER PART NUMBER:</b>		<b>CONTRACT NUMBER:</b>
<b>DATE REJECTED:</b> 26 JAN 2018	<b>DATE RECEIVED:</b> 26 JAN 2018	<b>DATE COMPLETED:</b> 12 FEB 2018	
<b>A/C TYPE:</b> UNK	<b>A/C TAIL NUMBER:</b>	<b>A/C SERIAL NUMBER:</b>	
<b>PACKING STATUS:</b> No	<b>SEALS INTACT:</b> Intact	<b>PHYSICAL DAMAGE:</b> No	
<b>REASON FOR REMOVAL:</b> QAR # CN36789 FAILS FIT; HRC2100000 19 0102 ASSERTED DURING DECK 2 ENGINE RUN. REPAIR UNIT USING THE LATEST MANUAL CRITERIA. COMPLY WITH GROUP SPOC 008. CAAC TAG IF AVAILABLE.			
<b>PART NUMBER</b>	<b>AS RECEIVED:</b> 4071400-904	<b>AS RELEASED:</b> 4071400-904	
<b>DESCRIPTION:</b>	AIR DATA MODULE	AIR DATA MODULE - 777	
<b>SERIAL NUMBER</b>	97030656	97030656	
<b>UID(MFR/SPL PNO SER/UCN)</b>	<del>66030-46612340</del>	<del>66030-46612340-</del>	
<b>HW MOD STATUS:</b>	NONE	NONE	
<b>SW MOD STATUS:</b>			
<b>SOFTWARE LOAD:</b>			
<b>REASON FOR REMOVAL CONFIRMED:</b> Rejection Not Confirmed		<b>ESTIMATE SUPPLIED:</b> No	
<b>PRIMARY SHOP FINDING:</b> No Fault Found		<b>WARRANTY:</b>	
<b>TYPE OF SERVICE:</b> TESTED		<b>TECHNICIAN:</b> Zong Lor	
<b>MAINTENANCE STATEMENT:</b> PAGE DETAILING WORK PERFORMED, ALONG WITH MATERIALS USED, IS ATTACHED IN PAGE 2.			
When work is performed in accordance with Honeywell engineering documentation this documentation is at a minimum equal to current distributed CMM.			
<b>SIGNATURE BELOW REQUIRED ONLY WHEN RETURN TO SERVICE IS NOT ISSUED:</b> DATE: _____			
<b>SIGNATURE OF AUTHORIZED PERSON:</b> _____			
Complied With CMM/Eng Documentation: 34-26-81/Rev 12/Rev Date 11 JUN 2015; Service Bulletins: Customer Manuals/Documentation:			
SHOULD YOU REQUIRE ANY FURTHER INFORMATION REGARDING THIS SERVICE REPORT, OR HAVE ANY QUESTIONS, PLEASE CONTACT OUR CUSTOMER RESPONSE CENTER AT 1-800-601-3099 OR VISIT OUR CUSTOMER PORTAL AT <a href="http://www.MyAerospace.com">www.MyAerospace.com</a> TO SUBMIT AN INQUIRY.			

## SERVICE REPORT

HAT - Phoenix

<b>SR NUMBER: 5011949422</b>		<b>FAA:</b> KE2R949K	<b>EASA:</b> 145.4538
<b>PO:</b> 8152751	<b>CUSTOMER PART NUMBER:</b>	<b>CONTRACT NUMBER:</b>	

**Previously Complied With CMM/Eng Documentation:**  
**Service Bulletins:**  
**Customer Manuals/Documentation:**

**Work performed / Comments to Customer**  
 "Test in compliance with AW/PS production critical requirements"

Device passed full functional test multiple times unable to generated fault per squawks. Device was tested only with no fault found and rejection not confirmed.

DISPOSITION	REF DSG	P/N Installed	S/N Installed	P/N Removed	S/N Removed	Qty	Primary Failure	SB

1. Approving Civil Aviation Authority/Country: <b>FAA/United States</b>	2. <b>AUTHORIZED RELEASE CERTIFICATE</b> <b>FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG</b>	3. Form Tracking Number: 20180004315112Y15 331242541
--	---	--

4. Organization Name and Address: <b>Honeywell International Inc</b> <b>8840 Evergreen Blvd.</b> <b>COON RAPIDS MN 55433-6040</b>	Repair Station <b>KE2R949K</b>	5. Work Order/Contract/Invoice Number: <b>8152751</b> <b>331228082</b> Page 1 of 1
---	-----------------------------------	---

6.Item:	7. Description:	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status / Work:
001	AIR DATA MODULE - 777	4071400-904	1	97030656	TESTED

**12. Remarks:**  
 THE SERVICE SPECIFIED HAS BEEN ACCOMPLISHED IN ACCORDANCE WITH:  
 CHM 34-26-81 Rev 12, JUN/11/2015

"TEST IN COMPLIANCE WITH AW/PS PRODUCTION CRITICAL REQUIREMENTS"

SEE ATTACHED DOCUMENTS AS APPLICABLE FOR WORK PERFORMED  
 CERTIFIES THAT THE WORK SPECIFIED IN BLOCK 11/12 WAS CARRIED OUT IN ACCORDANCE WITH EASA PART 145 AND IN RESPECT TO THAT WORK THE COMPONENT IS CONSIDERED READY FOR RELEASE TO SERVICE UNDER EASA PART 145 APPROVAL NO. EASA 145.4538

<del>13a. Certifies the items identified above were manufactured in conformity to:  <input type="checkbox"/> Approved design data and are in a condition for safe operation.  <input type="checkbox"/> Non-approved design data specified in Block 12.</del>	14a. <input checked="" type="checkbox"/> 14 CFR 43. Return to Service <input checked="" type="checkbox"/> Other regulation specified in Block 12 Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.			
	<table border="1"> <tr> <td data-bbox="997 1153 1617 1258">14b. Authorized Signature: <i>Thanh Ha Nguyen</i></td> <td data-bbox="1617 1153 1967 1258">14c. Approval/Certificate No.: <b>KE2R949K</b></td> </tr> <tr> <td data-bbox="997 1258 1617 1339">14d. Name (Typed or Printed): <b>Thanh Ha Nguyen</b></td> <td data-bbox="1617 1258 1967 1339">14e. Date(dd/mmm/yyyy): <b>13/FEB/2018</b></td> </tr> </table>	14b. Authorized Signature: <i>Thanh Ha Nguyen</i>	14c. Approval/Certificate No.: <b>KE2R949K</b>	14d. Name (Typed or Printed): <b>Thanh Ha Nguyen</b>
14b. Authorized Signature: <i>Thanh Ha Nguyen</i>	14c. Approval/Certificate No.: <b>KE2R949K</b>			
14d. Name (Typed or Printed): <b>Thanh Ha Nguyen</b>	14e. Date(dd/mmm/yyyy): <b>13/FEB/2018</b>			

**User / Installer Responsibilities**

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article. Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1. Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

